AP Calculus	AB
8.1 Day 2	

- 1. A cylindrical can of radius 10 millimeters is used to measure rainfall in Stormville. The can is initially empty, and rain enters the can during a 60-day period. The height of water in the can is modeled by the function S, where S(t) is measured in millimeters and t is measured in days for $0 \le t \le 60$. The rate at which the height of the water is rising in the can is given by $S'(t) = 2\sin(0.03t) + 1.5$.
 - (a) According to the model, what is the height of the water in the can at the end of the 60-day period?

At a certain height, a tree trunk has a circular cross section. The radius R(t) of that cross section grows at a rate modeled by the function

$$\frac{dR}{dt} = \frac{1}{16} (3 + \sin(t^2))$$
 centimeters per year

for $0 \le t \le 3$, where time t is measured in years. At time t = 0, the radius is 6 centimeters. The area of the cross section at time t is denoted by A(t).

(a) Write an expression, involving an integral, for the radius R(t) for $0 \le t \le 3$. Use your expression to find R(3).

3. A storm washed away sand from a beach, causing the edge of the water to get closer to a nearby road. The rate at which the distance between the road and the edge of the water was changing during the storm is modeled by $f(t) = \sqrt{t} + \cos t - 3$ meters per hour, t hours after the storm began. The edge of the water was 35 meters from the road when the storm began, and the storm lasted 5 hours. The derivative of f(t)

is
$$f'(t) = \frac{1}{2\sqrt{t}} - \sin t$$
.

(a) What was the distance between the road and the edge of the water at the end of the storm?